


Scotch Rtx®-1301

- | | |
|-----------------------|-------------------------|
| 1. acetaldehyde | 7. ethyl acetate |
| 2. methanol | 8. isobutanol |
| 3. ethanol | 9. acetic acid |
| 4. acetone | 10. isoamyl alcohol |
| 5. isopropanol | 11. active amyl alcohol |
| 6. <i>n</i> -propanol | |



60m, 0.25mm ID, 1.4 μ m Rtx®-1301 (cat.# 16016)
1.0 μ L split injection using a Cyclosplitter® sleeve (cat.# 20706).
Conc.: neat

Oven temp.: 35°C (hold 5 min.) to 100°C @ 1°C/min.
Inj./det. temp.: 150°C / 200°C
Carrier gas: hydrogen @ 40cm/sec.
Split ratio: 100:1

Restek Corporation 110 Benner Circle Bellefonte, PA 16823
814-353-1300 • 800-356-1688 • Fax: 814-353-1309 • www.restek.com