
## Endogenous Vitamin K1 and K2 in Pooled Human Plasma on Raptor Biphenyl


-0.00

0.50


1.00

- Complete solution for Vitamin K1 and K2
- Fast, simple Biotage ISOLUTE PLD+ 96-well plate sample preparation removes phospholipids.
- · Raptor Biphenyl column provides high sensitivity for trace-level analysis.





1.50



Peaks	tr (min)	Precursor Ion	Product Ion
1. Vitamin MK4	1.44	445.5	187.2
2. Vitamin K1	1.46	451.5	187.2
3 Vitamin MK7	-	6497	187.2

Column Dimensions: Raptor Biphenyl (cat.# 9309A52) 50 mm x 2.1 mm ID

Particle Size:

2.7 μm 90 Å 40 °C Pore Size:

Standard/Sample 85:15 Methanol:water Diluent:

Endogenous vitamin K1 and K2 Conc.: Inj. Vol.:

Mobile Phase

Water, 0.1% formic acid, 5 mM ammonium formate A: B: Methanol, 0.1% formic acid

Flow (mL/min)	%A	%₽
0.4	10	90
0.4	0	100
0.4	0	100
0.4	10	90
0.4	10	90
	0.4 0.4 0.4 0.4	0.4 10 0.4 0 0.4 0 0.4 10

Detector MS/MS ESI+ Ion Mode: MRM Instrument UHPLC **Sample Preparation** 

A 500 µL aliquot of plasma sample was mixed with 5 µL of internal standard solution (K1-d7, MK4-d7, and MK7-d7 at 100 ng/mL in methanol) and 1.5 mL of acetonitrile followed by vortexing for 20 seconds at 3000 rpm. After centrifugation at 4300 rpm for 10 minutes, the supernatant was loaded onto a Biotage ISOLUTE PLD+ 96-well plate (50 mg) and vacuum was applied to collect the eluate. The eluate was then evaporated to dryness at 50 °C under a gentle stream of nitrogen. The dried extract was reconstituted with  $100\,\mu L$  of diluent and  $5\,\mu L$  of sample was injected for analysis.

